S1E

SOURCE **ONE ENVIRONMENTAL**

PRODUCT CATALOG

RESIDENTIAL / *MUNICIPAL* / *COMMERCIAL* / *RAIL*

SCAN HERE FOR
DIGITAL COPY



CONTENTS

TRENCHLESS PIPE REHABILITATION

PIPEPATCH SOLUTIONS

PipePatch No Dig Pipe Repair 4
PipePatch Repair Kits 6
PipePatch TYGER Lateral to Mainline Repair 8
PipePatch Repair Packers 10
PipePatch Equipment 12

INSPECTION SOLUTIONS

Access Point 13

CIPP LINING SOLUTIONS

Brawo® Magnavity SX 14
Lining Equipment 16
Lining Consumables 17

MANHOLE REHABILITATION

Fernco Infrastructure 18
Strong Company 20
SealGuard 21

PipePatch®

NO DIG

PIPE REPAIR SYSTEM



SCAN HERE
TO LEARN MORE

ECO
FRIENDLY
CONTAINS NO VOCS

PREMIER POINT REPAIR TECHNOLOGY

PROVEN PERFORMANCE

With over 750,000 patches installed worldwide, PipePatch® has established itself as a trusted solution for trenchless point repair applications.

LESS DISRUPTION. MORE PRODUCTION.

PipePatch® eliminates the need for traditional excavation, reducing downtime and project delays. Its trenchless repair process leads to **faster repairs with minimal impact** on surrounding infrastructure and landscapes.

A PERMANENT SOLUTION

Designed for exceptional durability, PipePatch® provides a permanent solution to pipe damage. With a **best-in-class 50-year service guarantee**, it offers lasting peace of mind, ensuring repairs stand the test of time.

VERSATILE PIPE SOLUTIONS

Capable of repairing pipes ranging from 1-1/2" to 72" in diameter, **PipePatch® provides a wide range of solutions** for sewer pipe repair, making it suitable for various applications.

COST SAVINGS

By avoiding the need for digging and **reducing labor time**, PipePatch® provides significant cost savings compared to traditional pipe repair methods.

PIPEPATCH® CERTIFICATIONS & STANDARDS COMPLIANCE

NSF — Plastic Piping System Components and Related Materials

UPC — IAPMO Research and Testing assessment of the Quality Assurance System

ICC ES — Complies to IPC, Complies to UPC

PipePatch complies with standards ASTM F 1216/ ASTM F 3541 "Standard Practice for Rehabilitation of Existing Pipelines and Conduits by Inversion and Curing of a Resin-Impregnated Tube"

PIPEPATCH Mini

SMALL DIAMETER REPAIR KITS

- **NO-DIG SOLUTION**
  Rehabilitates **1½"** and **2" diameter** pipes without excavation.
- **CURING SPEEDS**
  Available in **Winter** Repair Kits.
- **IDEAL APPLICATIONS**
  Perfect for pools, spas, hotels, hospitals, schools, and high-rises with limited access.
- **SAFE AND ODORLESS**
  Contains **No VOCs or Styrene**, making it non-hazardous with no transport or disposal concerns.

Part Number	Description
FPP-1.5-18W	1.5" x 18" PipePatch Kit
FPP-2-12W	2" x 12" PipePatch Kit
FPP-2-18W	2" x 18" PipePatch Kit

PIPEPATCH Standard

THE INDUSTRY STANDARD POINT REPAIR SOLUTION

- **NO-DIG SOLUTION**
  Rehabilitates **3" - 24" diameter** pipes without excavation.
- **CURING SPEEDS**
  Available in **Summer**, **Winter**, and **Rapid** Repair Kits.
- **IDEAL APPLICATIONS**
  Municipal sewer systems, stormwater drainage, industrial sites, commercial properties, infrastructure, healthcare, schools, and residential laterals.
- **WORKS WITH VARIOUS PIPE MATERIALS**
  Compatible with plastic, cast iron, clay, steel and more.
- **SAFE AND ODORLESS**
  Contains **No VOCs or Styrene**, making it non-hazardous with no transport or disposal concerns.

	Part Number	Description
24" LENGTH	FPP-3	3" x 24" PipePatch Kit
	FPP-4	4" x 24" PipePatch Kit
	FPP-6	6"x 24" PipePatch Kit
	FPP-8	8" x 24" PipePatch Kit
	FPP-10	10" x 24" PipePatch Kit
	FPP-12	12" x 24" PipePatch Kit
	FPP-15	15" x 24" PipePatch Kit
	FPP-18	18" x 24" PipePatch Kit
	FPP-24	24" x 24" PipePatch Kit
48" LENGTH	FPP-3X48	3" x 48" PipePatch Kit
	FPP-4X48	4" x 48" PipePatch Kit
	FPP-6X48	6" x 48" PipePatch Kit
	FPP-8X48	8" x 48" PipePatch Kit
	FPP-10X48	10" x 48" PipePatch Kit
	FPP-12X48	12" x 48" PipePatch Kit
	FPP-15X48	15" x 48" PipePatch Kit
	FPP-18X48	18" x 48" PipePatch Kit
	FPP-24X48	24" x 48" PipePatch Kit
84" LENGTH	FPP-6X84 -7	6" x 84" PipePatch Kit
	FPP-8X84 -7	8" x 84" PipePatch Kit
	FPP-10X84 -7	10" x 84" PipePatch Kit
	FPP-12X84-7	12" x 84" PipePatch Kit

PIPEPATCH Elbow

PRECISION REPAIR FOR BENDS AND TURNS



- **NO-DIG SOLUTION**
  Rehabilitates **2" - 10" diameter** pipes without excavation.
- **CURING SPEED**
  Available in **Summer** and **Winter** Repair Kits.
- **SEAMLESS ELBOW REPAIR**
  Installs easily to create a wrinkle-free liner, even in 90° bends. Ideal for repairing pipes connected to main sewer lines or hard-to-reach bends.
- **WORKS WITH VARIOUS PIPE MATERIALS**
  Compatible with plastic, cast iron, clay, steel & more.
- **SAFE AND ODORLESS**
  Contains **No VOCs or Styrene**, making it non-hazardous with no transport or disposal concerns.

	Part Number	Description
24" ELBOW	FPP-EL2	2" x 18" Elbow PipePatch Kit
	FPP-EL3	3" Elbow PipePatch Kit
	FPP-EL4	4" Elbow PipePatch Kit
	FPP-EL6	6" Elbow PipePatch Kit
	FPP-EL8	8" Elbow PipePatch Kit
	FPP-EL10	10" Elbow PipePatch Kit
48" ELBOW	FPP-EL3X48	3" x 48" Elbow PipePatch Kit
	FPP-EL4X48	4" x 48" Elbow PipePatch Kit
	FPP-EL6X48	6" x 48" Elbow PipePatch Kit

PIPEPATCH XTEND

LONG RUN PIPE REPAIR SOLUTION

- **NO-DIG SOLUTION**
  Rehabilitates **3" - 10" diameter** pipes without excavation.
- **CURING SPEEDS**
  Available in **Summer** and **Winter** Repair Kits.
- **EFFORTLESS LONG-RUN REPAIRS**
  Enables up to 45 feet of repair (with multiple 10- or 15-foot patches) using minimal equipment—no need for CIPP drums, wetout tables, or complex curing systems.
- **WORKS WITH VARIOUS PIPE MATERIALS**
  Compatible with plastic, cast iron, clay, steel and more.
- **SAFE AND ODORLESS**
  Contains **No VOCs or Styrene**, making it non-hazardous with no transport or disposal concerns.

Part Number	Description
FPP-EXT-3x120	3" x 120" Pipe XTEND Pull-in-Place kit
FPP-EXT-3x180	3" x 180" Pipe XTEND Pull-in-Place kit
FPP-EXT-4x120	4" x 120" Pipe XTEND Pull-in-Place kit
FPP-EXT-4x180	4" x 180" Pipe XTEND Pull-in-Place kit
FPP-EXT-6x120	6" x 120" Pipe XTEND Pull-in-Place kit
FPP-EXT-6x180	6" x 180" Pipe XTEND Pull-in-Place kit
FPP-EXT-8x120	8" x 120" Pipe XTEND Pull-in-Place kit
FPP-EXT-8x180	8" x 180" Pipe XTEND Pull-in-Place kit

PIPEPATCH ONE

THE ALL-IN-1 NO DIG PIPE REPAIR SYSTEM

- **NO-DIG SOLUTION**
  Rehabilitates **3" - 6" diameter** pipes without excavation.
- **CURING SPEEDS**
  Available in **Winter** Repair Kits.
- **COMPLETE NO-DIG SOLUTION**
  Ideal for those looking to start with trenchless pipe repair or working in extremely tight spaces, it offers a simple, efficient solution without excavation.
- **WORKS WITH VARIOUS PIPE MATERIALS**
  Compatible with plastic, cast iron, clay, steel and more.
- **SAFE AND ODORLESS**
  Contains **No VOCs or Styrene**, making it non-hazardous with no transport or disposal concerns.

Part Number	Description
FPP1-STKIT3-W	3" x 24" PipePatch ONE Winter Kit
FPP1-STKIT4-W	4" x 24" PipePatch ONE Winter Kit
FPP1-STKIT6-W	6" x 24" PipePatch ONE Winter Kit

PIPEPATCH Plug

LATERAL TERMINATION AND BULKHEAD

- **NO-DIG SOLUTION**
  Rehabilitates **4" - 8" diameter** pipes without excavation.
- **CURING SPEEDS**
  Available in **Winter** Repair Kits.
- **TRENCHLESS LATERAL TERMINATION:**
  PipePatch Plug offers a fast, safe, and cost-effective solution for sealing laterals and bulkheading mainlines without confined space entry.
- **WORKS WITH VARIOUS PIPE MATERIALS**
  Compatible with plastic, cast iron, clay, steel and more.
- **SAFE AND ODORLESS**
  Contains **No VOCs or Styrene**, making it non-hazardous with no transport or disposal concerns.

Part Number	Description
FPP-PIPEPLUG-4	4" PipePlug PipePatch Kit
FPP-PIPEPLUG-6	6" PipePlug PipePatch Kit
FPP-PIPEPLUG-8	8" PipePlug PipePatch Kit



PIPEPATCH Pillow

LARGE DIAMETER REPAIR KITS

- **NO-DIG SOLUTION**
  Rehabilitates **30" - 72" diameter** pipes without excavation.
- **CURING SPEEDS**
  Available in **Summer** and **Winter** Repair Kits.
- **LARGE DIAMETER REHABILITATION**
  PipePatch Pillow is an efficient solution for large-diameter pipe repairs. Ideal for storm and sewer rehab, including DOT drains, railway culverts, and interceptors.
- **WORKS WITH VARIOUS PIPE MATERIALS**
  Compatible with plastic, cast iron, clay, steel and more.
- **SAFE AND ODORLESS**
  Contains **No VOCs or Styrene**, making it non-hazardous with no transport or disposal concerns.

Part Number	Description
FPP-3036X48	30" to 36" x 48" Kit No Fold Kit
FPP-4248X48	42" to 48" x 48" Kit No Fold Kit
FPP-60X48	60" x 48" No Fold Kit
FPP-72X48	72" x 48" No Fold Kit

PipePatch TYGER

BUY NOW

360° OR TOP HAT

CIPP TEE AND WYE LATERAL SEAL SYSTEM

CONNECTING FROM THE MAIN TO THE LATERAL

PIPEPATCH TYGER TEE/WYE

LATERAL SEAL 360° MAIN RESIN REPAIR KIT



- **NO-DIG LATERAL SEAL SYSTEM**
  Pipepatch TYGER installs without disrupting mainline flow or requiring access to the homeowner's property, ensuring minimal disruption and fast, effective repairs.
- **VERSATILE COMPATIBILITY**
  The system mechanically bonds to all pipe types and extends 6"–10" into the lateral, providing 360° repair coverage for 4"–6" laterals and 8"–12" mainlines. It also offers top hat repairs for laterals in mainlines up to 32".
- **CURING SPEEDS**
  Available in **Summer**, **Winter**, and **Rapid*** Repair Kits. **Special Order Only*

- **ENVIRONMENTALLY FRIENDLY**
  PipePatch Tyger Tee/Wye Kits feature Silicate Resin, which contains no VOCs or Styrene, making it a safer option for the environment and worksite.
- **RELIABLE STRENGTH & DURABILITY** Certified by NSF, ICC, and IAPMO, PipePatch Tyger exceeds ASTM structural standards, forming a robust seal against infiltration and exfiltration at mainline and lateral connections.



	Part Number	Description
SUMMER	FPP-8X4TEE/WYE-S	8" x 4" TYGERPatch Kit - Summer
	FPP-8X6TEE/WYE-S	8" x 6" TYGERPatch Kit - Summer
	FPP-10X4TEE/WYE-S	10" x 4" TYGERPatch Kit - Summer
	FPP-10X6TEE/WYE-S	10" x 6" TYGERPatch Kit - Summer
	FPP-12X4TEE/WYE-S	12" x 4" TYGERPatch Kit - Summer
	FPP-12X6TEE/WYE-S	12" x 6" TYGERPatch Kit - Summer
	FPP-15X4TEE/WYE-S	15" x 4" TYGERPatch Kit - Summer
	FPP-15X6TEE/WYE-S	15" x 6" TYGERPatch Kit - Summer
WINTER	FPP-8X4TEE/WYE-W	8" x 4" TYGERPatch Kit - Winter
	FPP-8X6TEE/WYE-W	8" x 6" TYGERPatch Kit - Winter
	FPP-10X4TEE/WYE-W	10" x 4" TYGERPatch Kit - Winter
	FPP-10X6TEE/WYE-W	10" x 6" TYGERPatch Kit - Winter
	FPP-12X4TEE/WYE-W	12" x 4" TYGERPatch Kit - Winter
	FPP-12X6TEE/WYE-W	12" x 6" TYGERPatch Kit - Winter
	FPP-15X4TEE/WYE-W	15" x 4" TYGERPatch Kit - Winter
	FPP-15X6TEE/WYE-W	15" x 6" TYGERPatch Kit - Winter
RAPID	FPP-8X4TEE/WYE-RAPID	8" x 4" TYGERPatch Kit - Rapid*
	FPP-8X6TEE/WYE-RAPID	8" x 6" TYGERPatch Kit - Rapid*
	FPP-10X4TEE/WYE-RAPID	10" x 4" TYGERPatch Kit - Rapid*
	FPP-10X6TEE/WYE-RAPID	10" x 6" TYGERPatch Kit - Rapid*
	FPP-12X4TEE/WYE-RAPID	12" x 4" TYGERPatch Kit - Rapid*
	FPP-12X6TEE/WYE-RAPID	12" x 6" TYGERPatch Kit - Rapid*
	FPP-15X4TEE/WYE-RAPID	15" x 4" TYGERPatch Kit - Rapid*
	FPP-15X6TEE/WYE-RAPID	15" x 6" TYGERPatch Kit - Rapid*

PIPEPATCH TYGER

LATERAL REPAIR PACKERS

- **PRECISION PLACEMENT TECHNOLOGY**
  Designed for accurate and efficient delivery of resin and patch materials to lateral connections, ensuring a secure and reliable seal.
- **DURABLE CONSTRUCTION**
  Built with high-quality, corrosion resistant materials to withstand the harsh environments of sewer and drainage systems, providing long-lasting performance.
- **VERSATILE COMPATIBILITY**
  Suitable for various pipe diameters and repair scenarios, making it an essential tool for both standard and complex lateral repair applications.

	Part Number	Description
LIDS	FPP-PACK-TH-4SHORT	4” Rubber LID - Short
	FPP-PACK-TH-6SHORT	6” Rubber LID - Short
	FPP-PACK-TH-4TALL	4” Rubber LID - Tall
	FPP-PACK-TH-6TALL	6” Rubber LID - Tall
FLOW-THRU	FPP-PACK-TY-8-9FTC	8”-9” Flow-through packer
	FPP-PACK-TY-10-12FTC	10”-12” Flow-through packer
	FPP-PACK-TY-12-14FTC	12”-14” Flow-through packer
	FPP-PACK-TY-16-18FTC	16”-18” Flow-through packer
	FPP-PACK-TY-20-22FTC	20”-22” Flow-through packer
	FPP-PACK-TY-24-26FTC	24”-26” Flow-through packer

360º REPAIRS IN BOTH THE LATERAL AND MAIN

PIPEPATCH TYGER

LATERAL SEAL TOP HAT MAIN TEE/WYE RESIN REPAIR KIT

- **CUSTOM FIT FOR TEE/WYE CONNECTIONS**
  Engineered specifically to create a durable and leak-proof seal for lateral connections joining at a Tee/Wye angle, ensuring precise application and optimal performance.
- **ADVANCED RESIN TECHNOLOGY**
  Features a high-strength silicate resin that bonds effectively, providing superior resistance to chemical corrosion and long-lasting protection.
- **TRENCHLESS INSTALLATION**
  Eliminates the need for excavation with a simple, trenchless repair method, reducing disruption and labor costs while maintaining system integrity.
- **PRECISION FOR TEE CONFIGURATIONS**
  Tailored to repair lateral connections at a 90-degree angle, ensuring a perfect fit and strong seal for main tee intersections in sewer and drainage systems.
- **ENVIRONMENTALLY FRIENDLY MATERIALS**
  Utilizes VOC-free resin to ensure a safe application process while providing a robust, watertight repair for long-term performance.
- **STREAMLINED INSTALLATION**
  Designed for easy application, enabling quick and efficient repairs without extensive downtime or specialized equipment.

Part Number	Description
FPP-4-TH-S-FG	4” PipePatch TYGER Top Hat Tee/Wye Kit - Summer
FPP-4-TH-W-FG	4” PipePatch TYGER Top Hat Tee/Wye Kit - Winter
FPP-4-TH-R-FG	4” PipePatch TYGER Top Hat Tee/Wye Kit - Rapid
FPP-6-TH-S-FG	6” PipePatch TYGER Top Hat Tee/Wye Kit - Summer
FPP-6-TH-W-FG	6” PipePatch TYGER Top Hat Tee/Wye Kit - Winter
FPP-6-TH-R-FG	6” PipePatch TYGER Top Hat Tee/Wye Kit - Rapid



PIPEPATCH TYGER

EQUIPMENT

PipePatch TYGER

SEAMLESS INSTALLATION

VERSATILE PERFORMANCE

Part Number	Description
FPP-REG-LAT	Regulator (2 rq. TY system)
FPP-AIRHOSE150	150’ Air Hose (2 rq. TY system)
FPP-BKT8	Camera Bracket for 8” Tee/Wye Packers
FPP-BKT10-12	Camera Bracket for 10”-12” Tee/Wye Packers
FPP-PUSHROD-TY	5’ Steel Push Rod Lateral
FPP-TY-Wrench	3/8” Wrench/Packer Position

PipePatch® PACKERS

BUY NOW

1.5” & 2” PACKERS

SMALL DIAMETER REPAIR

- **COMPACT AND PORTABLE**
  Small Diameter Packers, part of the PipePatch Mini System, repair 1-1/2” and 2” pipes in tight spaces like pools, spas, and high-rise buildings.
- **PROVEN SOLUTION**
  As part of the PipePatch Mini System, Small Diameter Packers offer a proven solution with a track record of over 20 years of successful installations worldwide.

Part Number	Description
FPP-PACK1.5-18	1.5” PipePatch Packer
FPP-PACK2	2” PipePatch Packer use 18” Patch

24” PACKERS

STANDARD DIAMETER REPAIR

- **FLOW-THRU AND NON FLOW-THRU OPTIONS**
  Standard Packers are available in both Flow-Thru and Non Flow-Thru versions, offering flexibility for various repair needs.
- **MORE PATCHES, LESS HASSLE**
  Standard Packers are true workhorses, providing over 75% more patches than other bendy packers on the market, increasing efficiency and reducing downtime.

	Part Number	Description
FLOW-THRU	FPP-PACK6-10FT	6”-10” x 24” with 2” Flow Through
	FPP-PACK8-12FT	8”-12” x 24” with 2” Flow Through
	FPP-PACK1215FT-H	12”-15” with 2.6” Flow Through
	FPP-PACK1824FT-H	18”-24” with 3.7” Flow Through
NON FLOW-THRU	FPP-PACK3-4	3”-4” Packer with 14” Pull Cable
	FPP-PACK4-6	4”-6” Packer with 14” Pull Cable
	FPP-PACK8-12	8”-12” x 24” Packer with 14” cable

48” PACKERS

STANDARD DIAMETER REPAIR

- **PROVEN SOLUTION**
  As part of the PipePatch Standard System, Standard Packers have a track record of over 20 years of successful installations worldwide.
- **VERSATILE SIZING**
  The 48” Standard Packer works on pipes ranging from 3” to 24” in diameter, offering versatile repair solutions for a wide range of pipe sizes.

	Part Number	Description
FLOW-THRU	FPP-PACK610FT48	6”-10” x 48” with 2” Flow Through
	FPP-PACK8-12X48FT	8”-12” x 48” with 2” Flow Through
	FPP-PACK1215FT48-H	12”-15” with 2.6” Flow Through
	FPP-PACK1824FT48-H	18”-24” with 3.7” Flow Through
NON FLOW-THRU	FPP-PACK3-4X48	3”-4” x 48” Packer with 14” Cable
	FPP-PACK4-6X48	4”-6” x 48” Packer with 14” Cable
	FPP-PACK8-12X48	8”-12” x 48” Packer with 14” cable

84” PACKERS

STANDARD DIAMETER REPAIR

- **FLOW-THRU PACKER**
  84” Standard Packers are available in only available in Flow-Thru.
- **MORE PATCHES, LESS HASSLE**
  Standard Packers are true workhorses, providing over 75% more patches than other bendy packers on the market, increasing efficiency and reducing downtime.
- **PROVEN SOLUTION**
  As part of the PipePatch Standard System, Standard Packers have a track record of over 20 years of successful installations.
- **VERSATILE SIZING**
  The 84” Standard Packer works on pipes ranging from 6” to 12” in diameter.

	Part Number	Description
FLOW-THRU	FPP-PACK610X84-7	6”-10” x 84” (7) PipePatch Packer - Flow Thru
	FPP-PACK8-12X84FT-7	8”-12” x 84” (7) PipePatch Packer - Flow Thru

LATERAL PIPE PLUG PACKERS

LATERAL TERMINATION AND BULKHEAD REPAIR

- **VERSATILE SIZING**
  Available for pipe diameters from 2” to 8”, PipePlug provides secure termination options for a range of pipe sizes.
- **TRENCHLESS TERMINATION**
  PipePlug Packers are integral to the PipePatch Plug System, offering a simple, safe, and cost-effective trenchless solution for sealing off laterals and bulkheading mainlines without confined space entry, ideal before demolition or rerouting.

Part Number	Description
FPP-PACK2END	2” PipePatch Packer-End use 12” Patch
FPP-PLUGPACK3-4	PipePatch 3”-4” PipePlug Packer/End Packer
FPP-PLUGPACK4-6	PipePatch 4”-6” PipePlug Packer/End Packer
FPP-PLUGPACK8	PipePatch 8” PipePlug Packer/End Packer

PipePatch® PACKERS

BUY NOW

10’ & 15’ EXTRA LONG PACKERS

LONG RUN POINT REPAIR

- **NO-DIG SOLUTION**
  Extra Long Packers provide a flexible, trenchless repair method, allowing installers to complete repairs efficiently through most manholes and pipes ranging from 3” to 10” in diameter.
- **EFFORTLESS LONG-RUN REPAIRS**
  Available in 10’ or 15’ lengths for pipes ranging from 3” to 10” in diameter, offering flexibility for extended repairs.
- **DURABLE, HIGH-QUALITY CONSTRUCTION**
  Crafted from robust materials, Extra Long Packers are designed for long-lasting performance in high-stress environments, ensuring dependable repairs in challenging conditions.
- **PART OF THE PIPEPATCH XTEND SYSTEM**
  These Extra Long Packers are an integral component of the PipePatch XTEND System, delivering a reliable, comprehensive solution for large-scale pipe repair and rehabilitation needs.

Part Number	Description
FPP-PACK3-4X120	PipePatch Packer 3-4”x 120”
FPP-PACK3-4X180	PipePatch Packer 3-4”x 180”
FPP-PACK4-6X120	PipePatch Packer 4”-6” x 120”
FPP-PACK4-6X180	PipePatch Packer 4”-6” x 180”
FPP-PACK6-10X120-NW-FT*	PipePatch Packer 6”-10” x 120”
FPP-PACK6-10X180-NW-FT*	PipePatch Packer 6”-10” x 180”

**NO WHEELS*

ELBOW PACKERS

RADIAL POINT REPAIR

- **SPECIALIZED FOR ELBOW REPAIRS:**
  Unlike multi-purpose packers, these Elbow Packers are specifically designed to deliver consistent, high-quality repairs in pipes with bends, ensuring professional grade results every time.
- **VERSATILE RANGE**
  Capable of repairing pipes with diameters from 2” to 10”, providing a flexible solution for various pipe sizes and applications.
- **SHAPE-CONFORMING UP TO 90° BENDS**
  The Elbow Packers conform smoothly to pipe bends up to 90°, allowing for wrinkle-free liner placement even in tight, curved areas.
- **PART OF THE PIPEPATCH ELBOW SYSTEM**
  These Elbow Packers are a key component of the PipePatch Elbow System, using 100% radius point repair technology to structurally rehabilitate inaccessible bends in pipelines.

Part Number	Description
FPP-PACK2EL	PipePatch Packer 2” Elbow
FPP-PACK3EL	PipePatch 3” Elbow Packer
FPP-PACK4EL	PipePatch 4” Elbow Packer
FPP-PACK6EL	PipePatch 6” Elbow Packer
FPP-PACK8EL	PipePatch 8” Elbow Packer
FPP-PACK10EL	PipePatch 10” Elbow Packer
FPP-PACK3X48EL	PipePatch 3” x 48” Elbow Packer
FPP-PACK4X48EL	PipePatch 4” x 48” Elbow Packer
FPP-PACK6X48EL	PipePatch 6” x 48” Elbow Packer

PILLOW PACKERS

LARGE DIAMETER PIPE REPAIR

- **NO-DIG SOLUTION**
  Part of the PipePatch Pillow system, Large Diameter Packers provide a flexible, trenchless repair method, allowing installers to complete repairs efficiently through most manholes and pipes ranging from 15” to 72” in diameter.
- **DURABLE, HIGH-QUALITY CONSTRUCTION**
  Crafted from robust materials, Large Diameter Packers are designed for long-lasting performance in high-stress environments, ensuring dependable repairs in challenging conditions.

	Part Number	Description
NON FLOW-THRU	FPP-PILLOW-1524X48-H	PipePatch 15”-24” x 48” Pillow Packer
	FPP-PILLOW-3036X48-H	PipePatch 30” - 36” x 48” Pillow Packer
	FPP-PILLOW-4248X48_H	PipePatch 42”-48” x 48” Pillow Packer
	FPP-PILLOW-6072X48-H	PipePatch 60”-72” x 48” Pillow Packer
FLOW-THRU	FPP-PILLOW-1524X48FT	PipePatch 15”-24” x 48” Flow Through Pillow Packer

HD PACKERS

SPECIALTY NAVIGATION REPAIR

- **EXCEPTIONAL MANEUVERABILITY**
  The HD Packer is expertly designed to navigate smaller pipes with ease, providing smooth passage through tight spaces.
- **NAVIGATION BALL FOR TIGHT TURNS**
  Equipped with a spring-mounted “Navigation Ball” that aids in smoothly passing through 45° and 90° elbows, enhancing control and flexibility.
- **VERSATILE PIPE APPLICATIONS**
  Ideal for standard 3” to 6” lateral PipePatch installations, the HD Packer also accommodates transitions from 3” to 4” and 4” to 6” pipes.

Part Number	Description
FPP-PACK3-6-HD	PipePatch 3”-6” x 24” HD Packer w/ Navigation Ball
FPP-PACK3-6X48-HD	PipePatch 3”-6” x 48” HD Packer w/ Navigation Ball
FPP-PACK5-12-HD	PipePatch 5”-12” x 24” HD Packer w/ Navigation Ball
FPP-PACK5-12X48-HD	PipePatch 5”-12” x 48” HD Packer w/ Navigation Ball

PipePatch® EQUIPMENT

BUY NOW

SMALL DIAMETER EQUIPMENT

SMALL DIAMETER REPAIR

- **PIPEPATCH MINI**
  Specifically engineered to integrate seamlessly with the PipePatch Mini system, providing an efficient solution for repairing small diameter pipes with precision and durability.
- **PROVEN RELIABLE PERFORMANCE**
  Built for consistent, dependable operation, the small diameter equipment has a proven track record of delivering high-quality results, ensuring optimal performance even in tight spaces.

Part Number	Description
FPP-REG-ASM-2	2” and below PipePatch Air Regulator (0 to 60 psi)
FPP-WIRE-MP	Green Wire Tie
FPP-PULLCABLE	Coated Pull Cable - 250’ Length
FPP-PUSHRODMINI	5’ PushRod for 2” and under system

STANDARD DIAMETER EQUIPMENT

STANDARD POINT REPAIR



- **STANDARD PIPEPATCH**
  Seamlessly integrates with the PipePatch Standard, Elbow, Plug and XTEND systems, providing an efficient solution for repairing pipes with precision and durability.
- **PROVEN RELIABLE PERFORMANCE**
  Built for consistent, dependable operation, the standard diameter equipment has a proven track record of delivering high-quality results, ensuring optimal performance in demanding repair situations.

Part Number	Description
FPP-REG-ASM	3/8” Air Regulator (0 to 45 psi)
FPP-PUSHROD	3/8” - 5’ PipePatch Push Rod
FPP-ADAPTER	3/8” PipePatch Flex Adapter
FPP-PULLCABLE	250’ Coated Pull Cable
FPP-PULLCABLE500	500’ Coated Pull Cable
FPP-TY18-MP	14” Zip Tie for 6”-10” Packer (100 pcs)
FPP-TY50-MP	36” Zip tie for 12”-15” Packer (50 pcs)
FPP-WIRE-MP	Green Wire Tie (100 pcs)

LARGE DIAMETER EQUIPMENT

LARGE DIAMETER REPAIR

- **PIPEPATCH PILLOW**
  Specifically engineered to integrate seamlessly with the PipePatch Pillow system, providing an efficient solution for repairing large diameter pipes with precision and durability.
- **PROVEN RELIABLE PERFORMANCE**
  Built for consistent, dependable operation, PipePatch equipment has a proven track record of delivering high-quality results, ensuring optimal performance in demanding repair situations.

Part Number	Description
FPP-REG-FAST	Fast Fill / Fast Deflate Regulator Chicago Fittings

PROPUSH CONTINUOUS PUSH RODS

PRESSURIZED PUSH ROD

PROPUSH

- **ENHANCED MANEUVERABILITY**
  Designed for easy handling, ProPush improves efficiency and simplifies work in confined spaces.
- **VERSATILE CREW COMPATIBILITY**
  Suitable for both one- and two-person teams, accommodating various operational preferences.
- **COMPACT STORAGE DESIGN**
  Engineered for easy storage, minimizing clutter and optimizing workspace organization.
- **FLEXIBLE LENGTH OPTIONS**
  Available in lengths from 25 to 150 feet, with custom lengths upon request, catering to diverse project requirements.

Part Number	Description
FPP-PUSHROD-10025	25 foot 3/4” dia. continuous pushrod with 3/8” fittings for 3”-10” diameter installations
FPP-PUSHROD-10050	50 foot 3/4” dia. continuous pushrod with 3/8” fittings for 3”-10” diameter installations
FPP-PUSHROD-10100	100 foot 3/4” dia. continuous pushrod with 3/8” fittings for 3”-10” diameter installations
FPP-PUSHROD-21075	75 foot 1” dia. Continuous pushrod with 3/8” fittings for 10”-15” diameter installations
FPP-PUSHROD-21150	150 foot 1” dia. continuous pushrod with 3/8” fittings for 10”-15” diameter installations

Fernco Inc.

NO CLEAN-OUT? NO PROBLEM!

AccessPoint

LEARN MORE

Watertight Pipe Access and Plug Solution

The **Fernco Access Point** offers a watertight, secure entry into **3”–6” plastic and cast iron pipes for drain cleaning, inspections, and maintenance.** It installs quickly, avoiding costly excavation while preventing leaks and groundwater infiltration.

Part Number	Description
XP-1KIT1	**Installation Kit** - Access Point Plug (x1), 2-1/8” Hole Saw (x1), 6mm Allen Wrench (x1)
XP-1-6PACK	**6-Pack Set** - Access Point Plugs (x6)
XP-1KIT2	**Pro Installation Kit** - Access Point Plugs (x12), 2-1/8” Hole Saw (x1), 6mm Allen Wrench (x1)

NEW

BRAWO® Magnavity SX

smart • efficient • strong

SCAN HERE
TO LEARN MORE!

INTELLIGENT LED HEADS

With integrated magnetic coupling for remote unlocking, these heads ensure precise placement, **reducing errors, saving time, and minimizing costly rework**.

FULLY SOFTWARE-CONTROLLED TECHNOLOGY

The system's advanced software ensures **precise automation of the curing process**, optimizing performance, reducing manual adjustments, and delivering **unmatched consistency** for every job.

REVERSIBLE DUAL CAMERA SYSTEM

Provides **enhanced monitoring** and accuracy throughout the operation.

Mega LED Head

Larger diameter for maximum light coverage (6"-12")

Nano LED Head

Compact for **smaller applications** (4"-8")

NEW

CIPP LINING SOLUTIONS

BUY NOW

BRAWO® Magnavity SX

smart • efficient • strong

INNOVATIVE CURING DESIGN

LED heads enable **curing during liner inversion**, eliminating the need for additional reel insertion.

BRAWO® MAGNAVITY SX

LED LINING SYSTEM

- **INTELLIGENT LED HEADS**
  With integrated magnetic coupling for remote unlocking, these heads ensure precise placement, **reducing errors, saving time, and minimizing costly rework**.
- **REVERSIBLE DUAL CAMERA SYSTEM**
  Provides enhanced monitoring and accuracy throughout the operation.
- **MOBILE INTEGRATION**
  Features an **installation log and interface to mobile devices** via USB or Wi-Fi for easy data access.
- **PLUG & PLAY CAPABILITY**
  The system automatically detects the inserted LED head, ensuring seamless setup and operation.

Part Number	Description
40898990	BRAWO Magnavity SX LED UV Light Curing Unit
40898993	BRAWO LED Head Nano SX 96 - for Diameters 3”-8” (DN70 - DN225)
40898992	BRAWO LED Head Mega SX 192 - for Diameters 8”-12” (DN150 - DN300)
40898960	BRAWO Inspection Glass LED Head Mega SX 192
40898936	BRAWO Sluice (BM-C-6-4) with Camlock Fitting
40898970	BRAWO Rubber Seal Set (25 x 3.5mm)
40898977	BRAWO Aramid Braided Line 164’ (50m)
40895489	BRAWO Magnetic Up/Holding Cap Nano SX 96 (40mm)
40895610	BRAWO Magnetic Up/Holding Cap Mega SX 192 (52mm)
40898991	BRAWO Hose Package SX (BM002-S-60-25)

RENSSI INVERSION DRUM

RID-600-S3-B INVERSION DRUM WITH SIDE PORT

- **ENGINEERED FOR DURABILITY**
  Built from high-grade materials to withstand demanding job site conditions.
- **VERSATILE PERFORMANCE**
  Compatible with a wide range of pipe diameters and liner lengths, ensuring adaptability for various installation requirements.
- **EFFORTLESS OPERATION**
  Thoughtfully engineered with a user-friendly design, this equipment prioritizes maximum convenience, making operation intuitive, efficient, and hassle-free for professionals in the field.

Part Number	Description
RID-600-S3-B	Renssi 24” (600mm) Inversion Drum
DH-6S-CL-100	Renssi Drum Head with 6” Thread Attachment for 4” (100mm) Liner
DH-6S-CL-150	Renssi Drum Head with 6” Thread Attachment for 6” (150mm) Liner

RENSSI®
DRAIN CLEANING EQUIPMENT

CIPP LINING SOLUTIONS

BUY NOW

Brawoliner®

PREMIUM LINERS & RESINS FOR FLAWLESS REPAIRS

Delivering high-performance liners and resins for seamless pipe rehabilitation. BRAWOLINER® navigates bends with ease, while advanced resins cure fast with heat or light—ensuring durable, efficient repairs.

BRAWO® LINING CONSUMABLES

PREMIUM MATERIALS FOR RELIABLE CIPP INSTALLATIONS

- **SUPERIOR DURABILITY**
  Outstanding material properties ensure long-lasting, high-quality pipe rehabilitation.
- **SEAMLESS FLEXIBILITY**
  BRAWOLINER® adapts to bends and dimension changes for a precise fit.
- **FAST & VERSATILE CURING**
  Advanced resin systems adapt to various curing methods for efficient installation.

Part Number	Description
40980048	BRAWOLINER 4” (DN100) 328’ (100m) Roll
40980066	BRAWOLINER 6” (DN150) 328’ (100m) Roll
40986012	BRAWOLINER 3D 3”-4” (DN70-DN100) 328’ (100m) Roll
40987048	BRAWOLINER 3D 4”-6” (DN100-DN150) 328’ (100m) Roll
46453004	BRAWO Airbagliner 4” (DN100) 328’ (100m) Cal-Tube Roll
46453006	BRAWO Airbagliner 6” (DN150) 328’ (100m) Cal-Tube Roll
47000820	BRAWO I / III / SRR Resin - **Component A** (6 gallons)
47000825	BRAWO III Resin - **Component B** (2 gallons)
47000831	BRAWO UVPox Resin (3 gallons)

ABBOTT AWARD
NASTT NO-DIG SHOW
2024
INNOVATIVE PRODUCT WINNER

BRAWO® Magnavity SX is honored as the **most innovative product** by the North American Society for Trenchless Technology (NASTT).

Fernco® Inc.

INFRASTRUCTURE

TRENCHLESS SOLUTIONS

Advancing Pipe & Infrastructure Rehabilitation

MANHOLE REPAIR MATERIALS



X-SEAL

Hydrophobic polyurethane sealant that bonds to concrete, metal, plastic, wood, and pre-cast connections to prevent infiltration.

SEALGUARD II

Polyurethane grout that quickly seals active leaks in precast, cement, or brick structures, stopping infiltration permanently.

QSR

Rapid-setting, acid-resistant calcium aluminate for bench, invert, and void rehab. Sets in 10-15 minutes for quick restoration.

HYPERFLEX

Hydrophobic polyurethane grout that seals concrete leaks with a permanent, non-shrinking bond. NSF-ANSI-CAN 61 approved for potable water.

STRONG PLUG

Rapid-setting (60 seconds), hand-applied cementitious product for stopping infiltrating water.

MS-2®A | MS-2®C

MS-2A is cost-effective for infiltration and structural restoration, while **MS-2C** offers high early strength and corrosion resistance in mild sulfide environments.

HIGH PERFORMANCE

100% calcium aluminate mortar that restores structures in corrosive environments, stopping infiltration and forming a durable liner for pH 1.0+ substrates.

STRONG COMPANY

CEMENTITIOUS REPAIR PRODUCTS

- **COMPREHENSIVE REHABILITATION**
  Strong-Seal® Systems are engineered to restore concrete and masonry structures, addressing inflow, infiltration, and corrosion.
- **MANHOLE SOLUTIONS**
  Specialized cementitious products and patented equipment designed for effective manhole rehabilitation.
- **STORMWATER REPAIR**
  Storm Seal® restores pipes, culverts, and basins using cost-effective centrifugal casting or spraying methods.

Part Number	Description
GROUT250	Strong-Seal Grout 250 Cementitious Grout Void and Leak Stabilization | 60 lb. Bag
GROUT1000	Strong-Seal Grout 1000 High-Strength Cementitious Grout | 60 lb. Bag
GROUT12000	Strong-Seal Grout 12000 Self-Consolidating Grout | 65 lb. Bag
STORM-SEAL	Strong-Seal® Storm Seal® Spray-Applied Lining | 60 lb. Bag
QSR-PAIL	Strong-Seal® QSR Fast-Acting Repair Mortar | 40 lb. Bucket
QSR-BAG	Strong-Seal® QSR Fast-Acting Repair Mortar | 50 lb. Bag
PROFILE-PLUS	Strong-Seal Profile Plus Cementitious Liner | 60 lb. Bag
STRONG-PLUG	Storm-Seal® Strong-Plug® Rapid-Acting Leak-Stop Cement | 50 lb. Bucket
MS-2C	Strong-Seal MS-2®C Bag High-Strength Mortar | 60 lb. Bag
MS-2A	Strong-Seal MS-2®A Economical Cementitious Mortar | 60 lb. Bag
HIGH-PERFORMANCE-MIX	Strong-Seal High Performance Mix | 60 lb. Bag
GEOPOLYMER	Strong-Seal Geopolymer for Structural Rehabilitation | 65 lb. Bag

STORM & SEWER SOLUTIONS

BUY NOW

SEALGUARD

HYDROPHOBIC POLYURETHANE GROUT REPAIR PRODUCTS	Part Number	Description
	SG-6KITST	SealGuard II Starter Kit (6pk) with Dual Component Caulk Gun
	SG-CGUND	Premium Dual Component Caulk Gun
	SG-CGUNPN	Pneumatic Dual Component Caulk Gun
	SG-MXP6	SealGuard II Static Mixers (6 pk)
	SG-MXP12	SealGuard II Static Mixers (12 pk)
	SG-RE6	SealGuard II Reorder Kit (6 pk) with mixing tips
	SG-RE12	SealGuard II Reorder Kit (12 pk) with mixing tips
	SG-HF6	HyperFlex (300 mil cart.) 6 pack
	SG-HF12	HyperFlex (300 mil cart.) 12 pack
	SG-HF12TIP	HyperFlex Tips (12 pk)
	SG-HF5G	HyperFlex (5 gallon container)
	SG-X-SEAL-12	X- Seal (12-300 ml Kit)

- **RAPID REACTION TIME**
  SealGuard II is a dual-component hydrophobic polyurethane that reacts within 1 to 3 seconds, effectively stopping high-flow leaks exceeding 50 gallons per minute.
- **DURABLE AND NON-SHRINKING**
  Being hydrophobic, SealGuard grouts do not absorb water or shrink after curing, ensuring long-lasting seals in various structures, including manholes, vaults, and tunnels.
- **VERSATILE APPLICATION**
  Suitable for both high-flow and low-flow leaks, SealGuard products can be injected into fine fractures and perform well even in the presence of flowing water, making them ideal for diverse infrastructure repairs.

PATCH LIKE
YOU MEAN
IT
PipePatch®
NO DIG Pipe Repair System

PipePatch®
NO DIG Pipe Repair System

SEE WHAT SETS OUR PATCHES APART!

NO-DIG TRENCHLESS TECHNOLOGY

CIPP SEWER REPAIRS WITHOUT DIGGING

Broken Pipe

Repaired Pipe

PipePatch® repairs damaged pipes due to corrosion, cracks, joint separations, and root and water infiltration regardless of the pipe age or material.

THE NO DIG SOLUTION

Little to no traffic disruptions

Eliminates the need for disruptive and time consuming excavation

Repairs can be made any time of year – even under frozen ground

Complies with ASTM F1216

NSF ICC ES Complies to IPC Complies to UPC UPC®

A PERMANENT REPAIR

Permanent repair that is stronger than the original pipe, creating a "pipe-within-a-pipe" repair

No toxic fumes – PipePatch is odorless and safe for storm and sanitary sewers

Resin cures in the presence of water

Guaranteed 50 year service life

ADDITIONAL APPLICATIONS

Close off unwanted connections

Create pipe where original pipe is missing

Smooth the transition of offset pipes

Ideal for municipalities, hotels, commercial buildings, hospitals, airports, etc.

UNITED STATES
300 S. Dayton Street
Davison, Michigan 48423
(877) 450-3701

CANADA
850 Phillips St. E.
Sarnia, Ontario N7T 1Z6
(519) 332-6711

BRAZIL
Rua Luigi Galvani, 42 - Sala 83 CEP
04575-020 - Sao Paulo - SP Brasil
+55 11 2737-1357

877-450-3701 **S1EONLINE.COM** **SERVICE@S1EONLINE.COM**

02/2026